

# Witney Town Council, West Oxfordshire – Burwell Drive - Area 2

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T94			1	<i>Fagus sylvatica</i> cv. Beech cv.	17.0	1	38	11.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Rubbing limbs.</p> <p>Building within falling distance of tree. Footpath within crown spread. Tree overhangs neighbouring property. Wall or fence within crown spread.</p>

# Witney Town Council, West Oxfordshire – Burwell Drive - Area 3

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2081			1	<i>Cerasus serrulata</i> Japanese Cherry	1.5	1	3	1.5	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – Burwell Drive - Area 4

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T104			1	<i>Prunus sp.</i> Cherry sp.	6.0	1	17	7.0	Early Mature	Fair	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Decay / structural defect - Base. Leaning trunk - Major. Pruning wounds - Historic. 03/10/19 JC strimmer/mower damage.</p> <p>Underground services within 5 m of crown. Footpath within crown spread.</p>

# Witney Town Council, West Oxfordshire – Burwell Drive - Area 5

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T106			1	<i>Sorbus aucuparia</i> Rowan/Mountain Ash	8.0	1	25	5.0	Early Mature	Poor	<p><b>Stump - Treat.</b></p> <p><b>Fell - Ground level.</b></p> <p>Die-back - Throughout crown. Decline - Evident / observed. Deadwood - Minor. Decay / structural defect - Base. Decay / structural defect - Bole. Reaction wood / Adaptive growth - Stem / stems. 03/10/19 JC strimmer damage.</p> <p>Desire line within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Burwell Meadow - Area 3

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G199			3	<i>Crataegus crus-galli</i> Cockspur Thorn	5.0	1	15	6.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Decay / structural defect - Base. Epicormic growth - Base / bole / principal stems. Pruning wounds - Historic.</p> <p>Underground services within crown spread. Road within falling distance of tree. Footpath within crown spread. Wall or fence within crown spread. Tree overhangs neighbouring property.</p>

# Witney Town Council, West Oxfordshire – Burwell Recreation Ground - Area 2

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2124			1	<i>Quercus robur</i> English Oak	4.0	1	5	2.0	Young	Good	<b>Stake - Remove tree stake / strap.</b>  Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.  Recreational area within crown spread.
T2128			1	<i>Quercus robur</i> English Oak	4.0	1	5	3.0	Young	Good	<b>Stake - Remove tree stake / strap.</b>  Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.  Recreational area within crown spread.
T2129			1	<i>Quercus robur</i> English Oak	2.5	1	6	3.0	Young	Good	<b>Stake - Remove tree stake / strap.</b>  Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.  Recreational area within crown spread.
T2130			1	<i>Quercus robur</i> English Oak	2.0	1	6	1.0	Young	Fair	<b>Stake - Remove tree stake / strap.</b>  Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees. Top snapped out.  Recreational area within crown spread.

# Witney Town Council, West Oxfordshire – Cogges Hill Road - Area 4

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G2073			2	<i>Fraxinus excelsior</i> Ash	2.0	5	6	2.0	Young	Good	<b>Epicormic growth - Remove from base.</b>
			2	<i>Swida sanguinea</i> Common Dogwood							<b>Stump - Treat.</b>
			1	<i>Acer campestre</i> Field Maple							Inappropriate species / location. Multi-stemmed. Natural regeneration. 24/10/18 CJH Ash growing flush with wall.
			1	<i>Buddleja davidii</i> Buddleja							19/11/20 CJH Stumps have not been treated and have regrown.
			1	<i>Ficus carica</i> Common Fig							Footpath within crown spread. Tree overhangs neighbouring property.
			1	<i>Prunus domestica</i> Plum							

# Witney Town Council, West Oxfordshire – Cogges Hill Road - Area 7

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G760			2	<i>Acer campestre</i> Field Maple	9.0	1	30	7.0	Early Mature	Good	<p><b>Epicormic growth - Remove from base.</b></p> <p>Decay / structural defect - Bole. Epicormic growth - Base / bole / principal stems. Pruning wounds - Historic. Reaction wood / Adaptive growth - Stem / stems.</p> <p>Tree overhangs neighbouring property. Wall or fence within crown spread.</p>



# Witney Town Council, West Oxfordshire – Cogges Hill Road - Area 8

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G764			2	<i>Quercus robur</i> English Oak	20.0	1	100	10.0	Mature	Fair	<p><b>Detailed investigation - Static load test.</b></p> <p>Crown reduction - Historic. Die-back - Throughout crown. Deadwood - Minor. Decay / structural defect - Base. Decay / structural defect - Localised. Fungal fruiting body - structural decay suspected. 01/10/19 JC Meripilus giganteus at base of wounded buttress on easternmost oak. Fruiting body is on end of large buttress pointing northeast. Tree has slight lean towards housing.</p> <p>09/10/19 CJH Fungus confirmed as Meripilus; root decay is suspected but without further diagnostic tests it is not possible to determine the extent of decay. Crown is looking thin with upper dieback, indicating vascular dysfunction, possibly due to compromised roots.</p> <p>19/11/20 CJH Little change in crown from last year. Meripilus fruiting bodies on eastern buttress as before and also to west between buttresses. Diagnostic test not commissioned.</p> <p>Road within falling distance of tree. Neighbouring property in falling distance.</p>

Witney Town Council, West Oxfordshire – Curbridge Road, OX28 5JR – Roundabout (SW end of road)

Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2063			1	<i>Acer platanoides</i> 'Crimson King' Red Norway Maple	2.0	1	2	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p>

# Witney Town Council, West Oxfordshire – Manor Road - Area 12

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T707			1	<i>Salix cinerea</i> Grey Sallow	10.0	2	28	5.0	Early Mature	Fair	<p><b>Fell - Coppice.</b></p> <p>Base / stems obscured - Vegetation. Crown conflict - Structure / boundary / wire / tree. Inappropriate species / location. Pollard - Regrown.</p> <p>Building within falling distance of tree. Tree overhangs neighbouring property.</p>

# Witney Town Council, West Oxfordshire – Manor Road - Area 23

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T728			1	<i>Salix caprea</i> Goat Willow/Great Sallow	10.0	3	43	9.0	Early Mature	Fair	<p><b>Lift low canopy - Pedestrian clearance. Prune up from two fences as well.</b></p> <p>Arboricultural work - Historic. Base / stems obscured - Vegetation. Decay / structural defect - Localised. Decay / structural defect - Principal stems. Fork - Weak with included bark. Ivy or climbing plant.</p> <p>Building within falling distance of tree. Footpath within crown spread. Car parking below tree canopy. Tree overhangs neighbouring property.</p>

# Witney Town Council, West Oxfordshire – Manor Road - Area 25

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G732			4	<i>Malus sp.</i> Apple sp.	8.0	1	15	7.0	Early Mature	Fair	<p><b>Remove suspended or broken limb / limbs.</b></p> <p>Die-back - Upper crown.</p> <p>Footpath within crown spread.</p>

# Witney Town Council, West Oxfordshire – Manor Road - Area 29

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G747			1	<i>Crataegus x persimilis</i> Broadleaf Cockspur Thorn	9.0	2	28	7.0	Early Mature	Good	<b>Prune from adjacent structure. Prune up and away from footpath and fencing, allowing 2.4 metres over footpath and 0.5 clearance over fencing.</b>
			1	<i>Salix cinerea</i> Grey Sallow							Arboricultural work - Historic. Base / stems obscured - Vegetation. Crown conflict - Structure / boundary / wire / tree. Decay / structural defect - Bole. Fork - Weak with included bark. Girdling roots - Minor.  Footpath within crown spread. Wall or fence within crown spread. Tree overhangs neighbouring property.

# Witney Town Council, West Oxfordshire – Manor Road - Area 9

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T700			1	<i>Cornus sp.</i> Dogwood sp.	5.0	1	10	5.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Epicormic growth - Crown.</p> <p>Underground services within 5 m of crown. Footpath within crown spread.</p>

# Witney Town Council, West Oxfordshire – Oxlease recreation ground - Area 4

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G784			11	<i>Ulmus sp.</i> Elm sp.	6.0	1	10	4.0	Semi Mature	Poor	<b>Fell - Ground level. Fell dead and dying elm.</b>  Dutch elm disease. Dead tree / trees. Deadwood - Minor. Short remaining contribution. Several dead trees in group and some partly dead trees.  Road within falling distance of tree. Wall or fence within crown spread.
			1	<i>Sambucus nigra</i> Elder							



# Witney Town Council, West Oxfordshire – Penclose - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T792			1	<i>Fraxinus excelsior</i> Ash	24.0	1	87	13.0	Ancient or Veteran	Fair	<p><b>Detailed investigation - Static load test.</b></p> <p>Crown reduction - Historic. Decay / structural defect in crown limb / limbs - Localised. Decay / structural defect - Open cavity / cavities. Decay / structural defect - Suspected. Decay / structural defect - Bole. Fungal fruiting body - structural decay suspected. Pruning wounds - Decayed. Woodpecker holes. 2 Inonotus hispidus brackets present. Tree has previously had large end weight reductions.</p> <p>01/05/17 CJH Limb with brackets and woodpecker holes has seam of decay, but would fail over low-target area.</p> <p>25/09/19 JC Inonotus hispidus on stem just below wounding on stem and limb, 4 metres high, east face. On west face occluded wound has small opening - suspected cavity in stem.</p> <p>13/11/20 CJH Two large Perenniporia fraxinia brackets have emerged at base northwest and south of stem and at 0.5 m NW in front of dead-sounding area. Crown healthy.</p> <p>Road within falling distance of tree. Footpath within falling distance of tree. Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – Penclose recreation ground

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T800			1	<i>Tilia cordata</i> Small Leaved Lime	15.0	1	50	8.0	Mature	Good	<p><b>Pollard - Previous pollard height.</b> Repollard to previous pollard heads at c. 6 m. Do not remove stem epicormic.</p> <p>Decay / structural defect in crown limb / limbs - Minor. Fork - Weak with included bark. Pollard - Regrown. Structural impact - Evident / observed. Damage noted to adjacent boundary wall.</p> <p>Underground services within crown spread. Road within crown spread. Recreational area within crown spread.</p>
T808			1	<i>Prunus cerasifera 'Nigra'</i> Purple Cherry Plum	0.1	3	20	0.0	Early Mature	Good	<p><b>Stump - Treat.</b></p> <p><b>Epicormic growth - Remove from base.</b></p> <p>Epicormic growth - Base. Felled. Stump / stumps. Damage noted to adjacent boundary wall.</p>
T2140			1	<i>Populus nigra</i> Black Poplar	3.4	1	3	1.0	Young	Good	<p><b>Stake - Check / adjust tree stake / strap.</b> Restake with double stake/figure of 8 configuration.</p> <p>Staked tree / trees. Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – St Mary C of E Church - Area 2

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T571			1	<i>Acer negundo</i> Box Elder (Ash - Leaved) Maple	13.0	1	55	11.0	Mature	Fair	<p><b>Reduce crown by - Specified extent.</b> Reduce southernmost leader (regrowth) by c. 3 m to where it trifurcates. To reduce load on compromised stem.</p> <p>Die-back - Upper crown. Decay / structural defect in crown limb / limbs - Major. Decay / structural defect in crown limb / limbs - Open cavity / cavities. Epicormic growth - Base / bole / principal stems. 02/05/17 CJH Topped.</p> <p>13/11/20 CJH Regrowth on shell stem needs to be managed.</p> <p>Car parking below tree canopy. Road within falling distance of tree.</p>
T577			1	<i>Pinus nigra</i> Black Pine	23.0	1	66	9.0	Mature	Fair	<p><b>Remove specified limb / limbs.</b> Remove declining lowest branch to east overhanging neighbouring property.</p> <p>Die-back - Lower crown. Die-back - Mid crown. Deadwood - Minor. 02/05/17 CJH Slightly sparse crown.</p> <p>13/11/20 CJH Lower crown sparse. Upper crown has recovered. Branch over garden seems to be declining.</p> <p>Building within crown spread. Road within falling distance of tree. Tree overhangs neighbouring property.</p>

# Witney Town Council, West Oxfordshire – Stanton Harcourt Road - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G698			7	<i>Cornus sp.</i> Dogwood sp.	6.0	1	12	4.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Base / stems obscured - Vegetation.</p> <p>Underground services within crown spread. Footpath within crown spread. Road within falling distance of tree. Tree overhangs neighbouring property.</p>
G699			10  1	<i>Cornus sp.</i> Dogwood sp.  <i>Euonymus sp.</i> Spindle	6.0	1	12	4.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Base / stems obscured - Vegetation. Ivy or climbing plant. Two individuals in the group have some crown die-back.</p> <p>Footpath within crown spread. Road within falling distance of tree. Car parking within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – The Leys Recreation Ground - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T472			1	<i>Tilia x vulgaris</i> Common Lime	11.0	1	38	9.0	Early Mature	Good	<b>Lift low canopy - Pedestrian clearance.</b>  Fork - Weak with included bark.  Road within crown spread. Car parking within falling distance of tree. Footpath within crown spread.
T479			1	<i>Acer pseudoplatanus</i> Sycamore	15.0	1	55	16.0	Early Mature	Poor	<b>Deadwood - Remove. Remove dead lower branches to south of crown.</b>  Bark wound - Physical damage or vandalism. Deadwood - Minor. Decay / structural defect - Bole. Pruning wounds - Decayed. Root damage - Evident / observed. Raised surface roots. 13/11/20 CJH Small leaves at crown apex. Sparse upper crown.  Road within crown spread.
T493			1	<i>Tilia x vulgaris</i> Common Lime	19.0	1	58	9.0	Mature	Fair	<b>Deadwood - Remove. From over footpath.</b>  Die-back - Upper crown. Deadwood - Minor. Epicormic growth - Base / bole / principal stems. Root damage - Mower. Measurements are an average of the trees along the western boundary.  30/10/18 CJH Deadwood not over footpath.  13/11/20 CJH Some medium sized deadwood now over footpath.  Footpath within crown spread. Recreational area within crown spread.
T509			1	<i>Tilia x vulgaris</i> Common Lime	15.0	1	44	10.0	Early Mature	Good	<b>Remove suspended or broken limb / limbs.</b>  Branch - Suspended. Deadwood - Minor. Epicormic growth - Base / bole / principal stems.  Underground services within crown spread. Road within crown spread. Cycle path within crown spread.
T2138			1	<i>Ilex aquifolium</i> Holly	3.0	1	3	1.0	Young	Good	<b>Stake - Check / adjust tree stake / strap.</b>  Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.  Recreational area within crown spread.

# Witney Town Council, West Oxfordshire – The Leys Recreation Ground - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2139			1	<i>Quercus robur</i> English Oak	3.0	1	6	2.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Footpath within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – The Leys Recreation Ground - Area 6

## Works Recommendations 2021/22



Treework Environmental Practice

Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T539			1	<i>Tilia x vulgaris</i> Common Lime	25.0	1	70	13.0	Mature	Fair	<p><b>Deadwood - Remove. On footpath side of crown.</b></p> <p>Deadwood - Major. Decay / structural defect - Localised. Decay / structural defect - Bole. Epicormic growth - Base / bole / principal stems. Pollard - Lapsed / Mature stems. Pruning wounds - Decayed. Root environment - Compacted. Root damage - Mower.</p> <p>Footpath within crown spread. Road within crown spread. Recreational area within crown spread.</p>
T547			1	<i>Tilia x vulgaris</i> Common Lime	25.0	1	65	12.0	Mature	Fair	<p><b>Deadwood - Remove. Remove large piece of deadwood on footpath side.</b></p> <p>Deadwood - Major. Deadwood - Minor. Epicormic growth - Base / bole / principal stems. Pollard - Lapsed / Mature stems. Pruning wounds - Decayed. Root environment - Compacted. Measurements are an average of the trees along the eastern boundary of this area.</p> <p>30/10/18 CJH Deadwood not over footpath.</p> <p>13/11/20 CJH Some deadwood over footpath.</p> <p>Footpath within crown spread. Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – The Leys Recreation Ground - Area 7

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T1177			1	<i>Acer pseudoplatanus</i> Sycamore	12.0	1	20	10.0	Semi Mature	Fair	<p><b>Fell - Ground level.</b></p> <p><b>Stump - Treat.</b></p> <p>Access to inspect base - Restricted / obscured. Decay / structural defect - Open cavity / cavities. Epicormic growth - Bole / principal stems. Inappropriate species / location. 25/10/2018 CJH Ownership uncertain - growing between wall and outer fence.</p> <p>Wall or fence within crown spread. Overhead service within crown spread. Tree overhangs neighbouring property. Recreational area within crown spread.</p>
T2051			1	<i>Quercus robur</i> English Oak	4.0	1	6	1.5	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees. 27/04/17 CJH Tree struggling. Drought suspected.</p> <p>25/10/2018 CJH Doing better this year.</p> <p>13/11/20 CJH Thriving.</p> <p>Footpath within falling distance of tree.</p>
T2054			1	<i>Quercus robur</i> English Oak	3.0	1	7	2.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Footpath within falling distance of tree.</p>
T2055			1	<i>Quercus robur</i> English Oak	4.0	1	10	2.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Footpath within falling distance of tree.</p>



# Witney Town Council, West Oxfordshire – The Leys Recreation Ground - Area 7

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2056			1	<i>Quercus robur</i> English Oak	3.0	1	8	2.0	Young	Fair	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Footpath within falling distance of tree.</p>
T2077			1	<i>Quercus robur</i> English Oak	5.0	1	6	1.0	Young	Fair	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees.</p> <p>Footpath within falling distance of tree.</p>
T2078			1	<i>Quercus robur</i> English Oak	4.0	1	6	2.0	Young	Fair	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees. 25/10/2018 CJH Has suffered from this summer's drought. Monitor.</p> <p>13/11/20 CJH Not surveyed in leaf. Possibly improved canopy.</p> <p>Seating area within falling distance of tree. Footpath within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 22

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T70			1	<i>Cerasus avium</i> Wild Cherry	15.0	1	49	15.0	Mature	Good	<p><b>Prune from adjacent structure. To clear building by 2 m.</b></p> <p>Base / stems obscured - Vegetation. Crown conflict - Structure / boundary / wire / tree. Ivy or climbing plant. Structural impact - Footpath / highway / drive disturbance. 09/10/19 CJH Touching house roof.</p> <p>Tree overhangs neighbouring property. Building within crown spread. Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 32

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T134			1	<i>Quercus robur</i> English Oak	11.0	1	30	8.0	Early Mature	Good	<p><b>Lift low canopy - Pedestrian clearance.</b></p> <p>Decay / structural defect in crown limb / limbs - Localised.</p> <p>Footpath within crown spread.</p>

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 35

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T173			1	<i>Padus avium</i> Bird Cherry	7.0	1	22	7.0	Early Mature	Poor	<p><b>Stump - Treat.</b></p> <p><b>Fell - Ground level.</b></p> <p>Die-back - Throughout crown. Decay / structural defect - Base. Fungal fruiting body - structural decay suspected. Root damage - Mower. 03/10/19 JC FFB's at base, Ganoderma sp.</p> <p>Underground services within 5 m of crown. Building within falling distance of tree. Footpath within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 37

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G258			6	<i>Fraxinus excelsior</i> Ash	17.0	1	45	10.0	Early Mature	Fair	<p><b>Prune from adjacent boundary.</b> Prune ash back to 0.5 m north of edge of hard standing of layby up to height of 6 m to avoid further damage by lorries.</p> <p>Competition - Adjacent trees. Crown conflict - Structure / boundary / wire / tree. Die-back - Throughout crown. Deadwood - Minor. 03/10/19 JC three populus appear to be declining with dieback throughout crown. Re-inspect during summer months.</p> <p>12/12/20 CJH Aspen dieback not observed, but possible Chalara (ash dieback) present. Reinspect in leaf.</p> <p>Road within falling distance of tree. Tree on bank. Car parking within falling distance of tree.</p>
			5	<i>Quercus robur</i> English Oak							
			3	<i>Populus candicans</i>							
			2	<i>Corylus colurna</i> Turkish Hazel							
			1	<i>Betula pendula</i> Silver Birch							
1	<i>Fagus sylvatica</i> Common Beech										

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 5

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2085			1	<i>Carpinus betulus</i> Hornbeam	2.5	1	3	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees. 12/11/20 CJH Top snapped out - vandalism.</p> <p>Recreational area within crown spread.</p>
T2086			1	<i>Betula pendula</i> Silver Birch	4.0	1	3	1.5	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Recreational area within crown spread. Footpath within falling distance of tree.</p>
T2087			1	<i>Alnus cordata</i> Italian Alder	4.0	1	3	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees - Ingrown / Restricting growth. Young planted tree / trees.</p> <p>Recreational area within crown spread. Footpath within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Thorney Leys - Area 6

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G48			4	<i>Tilia x euchlora</i> Caucasian Lime	15.0	1	33	9.0	Early Mature	Good	<p><b>Lift low canopy - Specified extent. Prune up and away from drive allowing 3 metre height clearance.</b></p> <p>Epicormic growth - Base. Fork - Weak with included bark. Form - Low canopy. Pruning wounds - Historic. Root damage - Mower. Raised surface roots. Structural impact - Footpath / highway / drive disturbance.</p> <p>Underground services within 5 m of crown. Road within crown spread. Building within falling distance of tree. Car parking within falling distance of tree. Footpath within crown spread.</p>

# Witney Town Council, West Oxfordshire – Tower Hill Cemetery - Area 4

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T321			1	<i>Fagus sylvatica</i> Common Beech	25.0	1	107	22.0	Mature	Good	<p><b>Deadwood - Remove. Over footpath only.</b></p> <p>Decay / structural defect - Localised. Deadwood - Minor.</p> <p>Footpath within crown spread. Recreational area within crown spread.</p>
T2067			1	<i>Fagus sylvatica</i> Common Beech	2.5	1	5	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees.</p> <p>Footpath within crown spread.</p>



# Witney Town Council, West Oxfordshire – Tower Hill Cemetery - Area 5

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T361			1	<i>Acer pseudoplatanus</i> Sycamore	0.5	2	21	0.5	Early Mature	Good	<p><b>Stump - Treat.</b></p> <p><b>Epicormic growth - Remove from base.</b></p> <p>Epicormic growth - Base. Felled. Structural impact - Potential. Stump / stumps.</p> <p>Wall or fence within crown spread.</p>

# Witney Town Council, West Oxfordshire – Unterhaching Park

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T952			1	<i>Laburnum anagyroides</i> Common Laburnum (Golden Chain)	12.0	1	55	9.0	Mature	Fair	<p><b>Deadwood - Remove. Over footpath.</b></p> <p>Deadwood - Major. Fork - Weak with included bark. Multi-stemmed. Small leaves; sparse crown. Physiologically stressed.</p> <p>04/10/19 CJH Slightly sparse crown.</p> <p>Footpath within crown spread. Building within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Vanner Road - Area 6

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T964			1	<i>Tilia cordata</i> Small Leaved Lime	7.0	1	16	6.0	Semi Mature	Good	<p><b>Epicormic growth - Remove.</b> Remove epicormics from base and stem up to 1 metre.</p> <p>Decay / structural defect - Localised. Decay / structural defect - Bole. Epicormic growth - Base / bole / principal stems. Fork - Weak with included bark. Rubbing limbs.</p> <p>Footpath within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Vanner Road - Area 7

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T970			1	<i>Aesculus hippocastanum</i> Horse Chestnut	11.0	1	51	7.0	Early Mature	Good	<p><b>Epicormic growth - Remove from base.</b></p> <p>Crown conflict - Structure / boundary / wire / tree. Epicormic growth - Base / bole / principal stems. Foliar / bud damage - Insect. Leaning trunk - Minor. Pollard - Recently cut. Pruning wounds - Decayed. Raised surface roots. 01/05/17 CJH Tree has responded vigorously to repollard.</p> <p>Building within falling distance of tree. Footpath within crown spread. Overhead service within crown spread.</p>

# Witney Town Council, West Oxfordshire – West Witney Sports Ground

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2146			1	<i>Prunus sp.</i> Cherry sp.	3.0	1	2	0.5	Young	Dead	<p><b>Fell - Ground level.</b></p> <p><b>Plant replacement tree.</b></p> <p>Dead tree / trees. Staked tree / trees. Young planted tree / trees.</p> <p>Recreational area within crown spread.</p>
T2147			1	<i>Prunus sp.</i> Cherry sp.	0.5	1	2	0.0	Young	Dead	<p><b>Plant replacement tree.</b></p> <p><b>Fell - Ground level.</b></p> <p>Dead tree / trees. Young planted tree / trees. 26/11/20 CJH Vandalised.</p> <p>Recreational area within crown spread.</p>
T2148			1	<i>Prunus sp.</i> Cherry sp.	0.5	1	2	0.0	Young	Dead	<p><b>Fell - Ground level.</b></p> <p><b>Plant replacement tree.</b></p> <p>Dead tree / trees. Young planted tree / trees. 26/11/20 CJH Vandalised.</p> <p>Recreational area within crown spread.</p>
T2150			1	<i>unrecognized</i> Unrecognised	3.0	1	2	0.5	Young	Dead	<p><b>Plant replacement tree.</b></p> <p><b>Fell - Ground level.</b></p> <p>Dead tree / trees. Staked tree / trees. Young planted tree / trees.</p> <p>Recreational area within crown spread.</p>

# Witney Town Council, West Oxfordshire – West Witney Sports Ground

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T2151			1	<i>unrecognized</i> Unrecognised	3.0	1	2	0.5	Young	Dead	<p><b>Fell - Ground level.</b></p> <p><b>Plant replacement tree.</b></p> <p>Dead tree / trees. Staked tree / trees. Young planted tree / trees.</p> <p>Recreational area within crown spread.</p>
T2158			1	<i>Prunus sp.</i> Cherry sp.	4.5	1	5	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees.</p> <p>Car parking within falling distance of tree.</p>
T2159			1	<i>Prunus sp.</i> Cherry sp.	4.5	1	5	1.0	Young	Good	<p><b>Stake - Remove tree stake / strap.</b></p> <p>Staked tree / trees. Young planted tree / trees.</p> <p>Car parking within falling distance of tree.</p>

# Witney Town Council, West Oxfordshire – Windrush Cemetery - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T1019			1	<i>Carpinus betulus</i> 'Fastigiata' Fastigiata Hornbeam	8.0	1	11	4.0	Semi Mature	Fair	<b>Epicormic growth - Remove from stem. Remove epicormics from stem.</b>  Epicormic growth - Bole / principal stems. Rubbing limbs.  Main drive within or adjacent to canopy.
T1023			1	<i>Acer campestre</i> Field Maple	7.0	1	17	6.0	Semi Mature	Good	<b>Lift low canopy - Specified extent. Prune up and away from drive allowing 3.5 metre clearance</b>  Main drive within or adjacent to canopy.
T1072			1	<i>Carpinus betulus</i> Hornbeam	7.0	1	15	6.0	Semi Mature	Fair	<b>Lift low canopy - Specified extent. Lift canopy to remove conflict with metal cage.</b>  Foliar / bud damage - Insect. 30/09/19 JC tree has metal cage around it- not restrictive.  Footpath within crown spread.
T1074			1	<i>Tilia sp.</i> Lime sp.	6.0	1	18	5.0	Semi Mature	Good	<b>Epicormic growth - Remove. Remove epicormics from base and stem up to 1.5 metres.</b>  Epicormic growth - Base / bole / principal stems. Form - Low canopy.  Desire line within falling distance of tree.
T1077			1	<i>Acer campestre</i> Field Maple	5.0	1	14	4.0	Semi Mature	Fair	<b>Epicormic growth - Remove. Remove epicormics from base and stem up to 1.5 metres.</b>  Epicormic growth - Base / bole / principal stems.  Wall or fence within crown spread. Footpath within falling distance of tree.
T1085			1	<i>Quercus robur</i> English Oak	7.0	1	17	6.0	Semi Mature	Good	<b>Stake - Remove tree stake / strap.</b>  Form - Low canopy. Staked tree / trees.  Desire line within falling distance of tree.

# Witney Town Council, West Oxfordshire – Windrush Cemetery - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T1086			1	<i>Tilia sp.</i> Lime sp.	4.5	1	10	3.0	Young	Good	<b>Epicormic growth - Remove.</b> Remove epicormics from base and stem up to 1 metre.  Epicormic growth - Base / bole / principal stems. Foliar / bud damage - Insect.  Desire line within falling distance of tree.
T1089			1	<i>Acer campestre</i> Field Maple	6.0	1	12	4.0	Semi Mature	Good	<b>Epicormic growth - Remove.</b> Remove epicormics from base and stem up to 1 metre.  Epicormic growth - Bole / principal stems. Rubbing limbs.  Desire line within falling distance of tree.
T1090			1	<i>Acer campestre</i> Field Maple	6.5	1	15	5.0	Semi Mature	Good	<b>Epicormic growth - Remove from stem.</b> Remove epicormics from base and stem up to 1.5 metres.  Epicormic growth - Bole / principal stems. Rubbing limbs.  Desire line within falling distance of tree.
T1098			1	<i>Carpinus betulus</i> Hornbeam	8.0	1	16	5.0	Semi Mature	Good	<b>Epicormic growth - Remove from stem.</b>  Epicormic growth - Bole / principal stems.  Desire line within falling distance of tree.
T1099			1	<i>Acer campestre</i> Field Maple	7.0	1	18	5.0	Semi Mature	Good	<b>Epicormic growth - Remove from base.</b>  Epicormic growth - Base / bole / principal stems.  Recreational area within crown spread.
T1119			1	<i>Acer campestre</i> Field Maple	5.0	1	14	5.0	Semi Mature	Good	<b>Epicormic growth - Remove from stem.</b>  Epicormic growth - Bole / principal stems.  Footpath within crown spread.



# Witney Town Council, West Oxfordshire – Windrush Cemetery - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T1121			1	<i>Quercus robur</i> English Oak	6.0	1	12	3.0	Semi Mature	Good	<b>Epicormic growth - Remove.</b> Remove epicormics from base and stem up to 1.5 metres.  Epicormic growth - Bole / principal stems.  Seating area within crown spread.
G1132			4  2	<i>Acer campestre</i> Field Maple  <i>Quercus robur</i> English Oak	7.0	1	12	4.0	Semi Mature	Fair	<b>Epicormic growth - Remove from base.</b>  <b>Stake - Remove tree stake / strap.</b> Remove from cage containing oak.  Decay / structural defect - Base. Staked tree / trees. 30/09/19 JC one oak has metal cage with wooden stakes within. Strimmer damage to base of trees.  Footpath within falling distance of tree. Seating area within falling distance of tree.
G1133			2  2  1	<i>Fraxinus excelsior</i> Ash  <i>Quercus robur</i> English Oak  <i>Carpinus betulus</i> Hornbeam	5.0	1	10	3.0	Semi Mature	Fair	<b>Stake - Remove tree stake / strap.</b>  Commemorative tree. Decay / structural defect - Base. Decay / structural defect - Bole. Staked tree / trees. 30/09/19 JC strimmer damage to tree bases.  Footpath within falling distance of tree.

# Witney Town Council, West Oxfordshire – Witan Way - Area 4

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G633			5	<i>Corylus avellana</i> Common Hazel	7.0	10	22	5.0	Early Mature	Poor	<b>Fell - Coppice.</b> Coppice dead/dying hazel and hawthorn.  Base / stems obscured - Vegetation. Die-back - Throughout crown. Ivy or climbing plant. Multi-stemmed.  Road within falling distance of tree. Footpath within crown spread.
			2	<i>Crataegus monogyna</i> Common Hawthorn/Quick/May							
G637			3	<i>Corylus avellana</i> Common Hazel	12.0	1	12	5.0	Early Mature	Fair	<b>Fell - Ground level.</b> Fell two dead elm.  Dead tree / trees. Multi-stemmed. Natural regeneration.  Footpath within crown spread.
			2	<i>Ulmus sp.</i> Elm sp.							
			1	<i>Acer pseudoplatanus</i> Sycamore							
			1	<i>Crataegus monogyna</i> Common Hawthorn/Quick/May							
			1	<i>Salix fragilis</i> Crack Willow							
			1	<i>Sambucus nigra</i> Elder							

# Witney Town Council, West Oxfordshire – Witney Lake - Area 1

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T1254			1	<i>Salix fragilis</i> Crack Willow	12.0	2	48	9.0	Early Mature	Fair	<b>Pollard - Initiate new regime.</b> Pollard at 3 m due to cracked fork.  Deadwood - Minor. Fork - Cracked. Reaction wood / Adaptive growth - Stem / stems.  Tree on bank. Stream adjacent to tree. Footpath within crown spread.
G1339			2  1	<i>Salix caprea</i> Goat Willow/Great Sallow  <i>Sambucus nigra</i> Elder	7.0	25	30	8.0	Early Mature	Good	<b>Remove suspended or broken limb / limbs.</b>  Access to inspect base - Restricted / obscured. Branch - Suspended. Coppice stool - Regrown. Decay / structural defect - Bole. Multi-stemmed.  Tree on bank. Footpath within crown spread.
G1361			25 8 7 5 5 2 1 1	<i>Crataegus monogyna</i> Common Hawthorn/Quick/May  <i>Corylus avellana</i> Common Hazel  <i>Acer pseudoplatanus</i> Sycamore  <i>Acer campestre</i> Field Maple  <i>Populus alba</i> White Poplar/Abele  <i>Alnus glutinosa</i> Common Alder  <i>Quercus robur</i> English Oak  <i>Populus tremula</i> Aspen	12.0	1	30	7.0	Early Mature	Fair	<b>Fell - Ground level.</b> Fell easternmost white poplar with rootplate failure.  Crown conflict - Structure / boundary / wire / tree. Coppice stool - Regrown. Deadwood - Minor. Fork - Weak with included bark. Root plate movement - Current (suspected unstable). EM white poplars underplanted with younger hazel, maple etc. DBHs and tree numbers have been estimated.  19/11/20 CJH Easternmost white poplar has failed rootplate. Is leaning over path.  Footpath within crown spread. Seating area within crown spread.

# Witney Town Council, West Oxfordshire – Woodgreen - Area 2

## Works Recommendations 2021/22



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T880			1	<i>Acer platanoides</i> 'Crimson King' Red Norway Maple	14.0	1	49	12.0	Early Mature	Fair	<p><b>Remove faulted limb / limbs. Remove lowest branch extending north east with missing bark and canker.</b></p> <p>Bark wound - Squirrel. Internal branch removal - Historic. Cambial die-back with dead bark on underside of one branch.</p> <p>03/05/17 CJH Compression fork, but bark patterning does not indicate that it is cracked. Adaptive growth in union indicates tree is laying down wood to strengthen union. Branch damage occluding well.</p> <p>26/11/20 CJH Major canker on underside of lowest branches to north east.</p> <p>Underground services within 5 m of crown. Road within crown spread. Recreational area within crown spread. Seating area within falling distance of tree.</p>

# Tree Schedule Key



<b>Tree/Group Reference</b>	Reference number for individual trees or groups of trees, prefixed by T (Tree), G (Group), W (Woodland), H (Hedge) or S (Shrub) to indicate the type of feature.
<b>CA/TPO</b>	Statutory protection; either Conservation Area designation (Y/N), Tree Preservation Order (Y/N) or status not checked (blank).
<b>Tree Count</b>	Number of trees of a particular species recorded within a group feature, with the default value of 1 for single trees.
<b>Species</b>	Scientific name followed by common name (where available).
<b>Height (m)</b>	Tree height estimated to the nearest metre. Tree height for group records refers to the estimated average height of trees within the group (unrepresentative trees may be excluded from this estimate).
<b>Stem Count</b>	Number of stems, estimated where the stem count is greater than 10, with a default value of 1 for a tree with one stem.
<b>Stem Diameter (cm)</b>	Stem diameter estimated to the nearest 5 cm, measured at approximately 1.5 m above ground level in accordance with Annex C of BS5837:2012. For trees with more than one stem an estimated average stem diameter is recorded and a combined stem diameter is presented, calculated in accordance with the formula in Section 4.6.1b of BS5837:2012. Stem diameter for group records refers to the estimated average stem diameter of trees within the group (unrepresentative trees may be excluded from this estimate).
<b>Crown Diameter (m)</b>	Spread or diameter of the tree crown estimated to the nearest metre. Crown diameter for group records refers to the estimated average crown diameter of trees with the group (unrepresentative trees may be excluded from this estimate).
<b>Life Stage</b>	Young, Semi-mature, Early Mature, Mature, Late Mature, Ancient or Veteran.
<b>Physiological Condition</b>	Good, Fair, Poor, Dead.
<b>Recommendations</b>	Recommended works, with status indicated by font colour ( <b>Proposed</b> , <b>Assigned</b> , <b>Contracted</b> , <b>Declared</b> , <b>Completed</b> , <b>Cancelled</b> ). Descriptive notes may be included to add further detail or to define the aim of the intended operations.
<b>Observations</b>	Description of the tree or trees within a group in terms of basic features and morphology as well as structural and physiological attributes, together with a description of the context in which the tree is growing; specifically targets and other site features.
<b>Schedule Query</b>	Description of the criteria used to select the subset of trees presented within the schedule.